


## 61 SERIES CHANNEL BALANCE WITH HEMMED EDGE



### Ordering Information

- 1) Measure metal channel length (do not include plastic ends).
- 2) Check number stamped on channel (e.g. 20-2, 30-5, etc.).
- 3) Select our corresponding part number from the chart below.
- 4) To identify the top and bottom ends to be attached, refer to page 31.

### General Information

- 1) Balance prices do not include attached bracket.
- \*2) The tension adjustment screw feature is no longer manufactured.
- 3) The top spring anchor is directly attached to the back wall of the balance channel with a porcupine pinning effect.
- 4) For special channel lengths, please consult your representative.

Note: Top and bottom balance ends must be ordered separately. If you want ends attached, add the letter "A" to the suffix of the part number when ordering.

Length of Metal Channel	Number Stamped on Balance	Sash Weight	Our Part Number	Length of Metal Channel	Number Stamped on Balance	Sash Weight	Our Part Number	Length of Metal Channel	Number Stamped on Balance	Sash Weight	Our Part Number	Length of Metal Channel	Number Stamped on Balance	Sash Weight	Our Part Number
11"	10-0	2 To 3 Lbs.	61-100	19"	18-5	17 To 24 Lbs.	61-185	28"	27-4	20 To 26 Lbs.	61-274	36"	35-5	30 To 35 Lbs.	61-355
11"	10-1	3 To 5 Lbs.	61-101	19"	18-6	24 To 27 Lbs.	61-186	28"	27-5	26 To 30 Lbs.	61-275	36"	35-9	35 To 40 Lbs.	61-359
11"	10-2	5 To 8 Lbs.	61-102	19"	18-9	27 To 30 Lbs.	61-189	28"	27-6	30 To 34 Lbs.	61-276	37"	36-1	8 To 13 Lbs.	61-361
11"	10-3	8 To 10 Lbs.	61-103	20"	19-1	5 To 8 Lbs.	61-191	28"	27-9	34 To 36 Lbs.	61-279	37"	36-2	13 To 18 Lbs.	61-362
11"	10-4	10 To 13 Lbs.	61-104	20"	19-2	8 To 12 Lbs.	61-192	29"	28-1	6 To 12 Lbs.	61-281	37"	36-3	18 To 24 Lbs.	61-363
11"	10-5	13 To 15 Lbs.	61-105	20"	19-3	12 To 15 Lbs.	61-193	29"	28-2	12 To 16 Lbs.	61-282	37"	36-4	24 To 31 Lbs.	61-364
11"	10-9	15 To 18 Lbs.	61-109	20"	19-4	15 To 17 Lbs.	61-194	29"	28-3	16 To 23 Lbs.	61-283	37"	36-5	31 To 36 Lbs.	61-365
12"	11-1	3 To 5 Lbs.	61-111	20"	19-5	17 To 21 Lbs.	61-195	29"	28-4	23 To 29 Lbs.	61-284	37"	36-9	36 To 40 Lbs.	61-369
12"	11-2	5 To 8 Lbs.	61-112	20"	19-6	21 To 26 Lbs.	61-196	29"	28-5	29 To 32 Lbs.	61-285	38"	37-1	8 To 13 Lbs.	61-371
12"	11-3	8 To 10 Lbs.	61-113	20"	19-9	26 To 30 Lbs.	61-199	29"	28-6	32 To 35 Lbs.	61-286	38"	37-2	13 To 19 Lbs.	61-372
12"	11-4	10 To 12 Lbs.	61-114	21"	20-1	4 To 8 Lbs.	61-201	29"	28-9	35 To 38 Lbs.	61-289	38"	37-3	19 To 24 Lbs.	61-373
12"	11-5	12 To 15 Lbs.	61-115	21"	20-2	8 To 12 Lbs.	61-202	30"	29-1	6 To 12 Lbs.	61-291	38"	37-4	24 To 32 Lbs.	61-374
12"	11-9	15 To 18 Lbs.	61-119	21"	20-3	12 To 16 Lbs.	61-203	30"	29-2	12 To 17 Lbs.	61-292	38"	37-5	32 To 36 Lbs.	61-375
13"	12-1	3 To 6 Lbs.	61-121	21"	20-4	16 To 23 Lbs.	61-204	30"	29-3	17 To 24 Lbs.	61-293	38"	37-9	36 To 40 Lbs.	61-379
13"	12-2	6 To 9 Lbs.	61-122	21"	20-5	23 To 26 Lbs.	61-205	30"	29-4	24 To 28 Lbs.	61-294	39"	38-1	9 To 14 Lbs.	61-381
13"	12-3	9 To 10 Lbs.	61-123	21"	20-9	26 To 30 Lbs.	61-209	30"	29-5	28 To 32 Lbs.	61-295	39"	38-2	14 To 19 Lbs.	61-382
13"	12-4	10 To 12 Lbs.	61-124	22"	21-1	4 To 8 Lbs.	61-211	30"	29-6	32 To 35 Lbs.	61-296	39"	38-3	19 To 25 Lbs.	61-383
13"	12-5	12 To 15 Lbs.	61-125	22"	21-2	8 To 12 Lbs.	61-212	30"	29-9	35 To 38 Lbs.	61-299	39"	38-4	25 To 30 Lbs.	61-384
13"	12-6	15 To 19 Lbs.	61-126	22"	21-3	12 To 15 Lbs.	61-213	31"	30-1	6 To 12 Lbs.	61-301	39"	38-5	30 To 36 Lbs.	61-385
13"	12-9	19 To 22 Lbs.	61-129	22"	21-4	15 To 23 Lbs.	61-214	31"	30-2	12 To 17 Lbs.	61-302	39"	38-9	36 To 40 Lbs.	61-389
14"	13-1	3 To 6 Lbs.	61-131	22"	21-5	23 To 26 Lbs.	61-215	31"	30-3	17 To 23 Lbs.	61-303	40"	39-1	9 To 14 Lbs.	61-391
14"	13-2	6 To 9 Lbs.	61-132	22"	21-9	26 To 30 Lbs.	61-219	31"	30-4	23 To 28 Lbs.	61-304	40"	39-2	14 To 19 Lbs.	61-392
14"	13-3	9 To 10 Lbs.	61-133	23"	22-1	4 To 8 Lbs.	61-221	31"	30-5	28 To 33 Lbs.	61-305	40"	39-3	19 To 25 Lbs.	61-393
14"	13-4	10 To 12 Lbs.	61-134	23"	22-2	8 To 12 Lbs.	61-222	31"	30-6	33 To 35 Lbs.	61-306	40"	39-4	25 To 31 Lbs.	61-394
14"	13-5	12 To 17 Lbs.	61-135	23"	22-3	12 To 19 Lbs.	61-223	31"	30-9	35 To 38 Lbs.	61-309	40"	39-5	31 To 36 Lbs.	61-395
14"	13-9	17 To 22 Lbs.	61-139	23"	22-4	19 To 23 Lbs.	61-224	32"	31-1	6 To 12 Lbs.	61-311	40"	39-9	36 To 40 Lbs.	61-399
15"	14-1	4 To 6 Lbs.	61-141	23"	22-5	23 To 27 Lbs.	61-225	32"	31-2	12 To 16 Lbs.	61-312	41"	40-1	9 To 14 Lbs.	61-401
15"	14-2	6 To 9 Lbs.	61-142	23"	22-9	27 To 30 Lbs.	61-229	32"	31-3	16 To 23 Lbs.	61-313	41"	40-2	14 To 20 Lbs.	61-402
15"	14-3	9 To 11 Lbs.	61-143	24"	23-1	4 To 9 Lbs.	61-231	32"	31-4	23 To 28 Lbs.	61-314	41"	40-3	20 To 25 Lbs.	61-403
15"	14-4	11 To 13 Lbs.	61-144	24"	23-2	9 To 15 Lbs.	61-232	32"	31-5	28 To 32 Lbs.	61-315	41"	40-4	25 To 31 Lbs.	61-404
15"	14-5	13 To 18 Lbs.	61-145	24"	23-3	15 To 18 Lbs.	61-233	32"	31-6	32 To 35 Lbs.	61-316	41"	40-5	31 To 36 Lbs.	61-405
15"	14-6	18 To 23 Lbs.	61-146	24"	23-4	18 To 22 Lbs.	61-234	32"	31-9	35 To 38 Lbs.	61-319	41"	40-9	36 To 42 Lbs.	61-409
15"	14-9	23 To 26 Lbs.	61-149	24"	23-5	22 To 27 Lbs.	61-235	33"	32-1	7 To 13 Lbs.	61-321	42"	41-1	9 To 14 Lbs.	61-411
16"	15-1	4 To 6 Lbs.	61-151	24"	23-9	27 To 30 Lbs.	61-239	33"	32-2	13 To 19 Lbs.	61-322	42"	41-2	14 To 19 Lbs.	61-412
16"	15-2	6 To 9 Lbs.	61-152	25"	24-1	4 To 9 Lbs.	61-241	33"	32-3	19 To 23 Lbs.	61-323	42"	41-3	19 To 25 Lbs.	61-413
16"	15-3	9 To 11 Lbs.	61-153	25"	24-2	9 To 15 Lbs.	61-242	33"	32-4	23 To 29 Lbs.	61-324	42"	41-4	25 To 31 Lbs.	61-414
16"	15-4	11 To 13 Lbs.	61-154	25"	24-3	15 To 19 Lbs.	61-243	33"	32-5	29 To 32 Lbs.	61-325	42"	41-5	31 To 37 Lbs.	61-415
16"	15-5	13 To 17 Lbs.	61-155	25"	24-4	19 To 24 Lbs.	61-244	33"	32-6	32 To 34 Lbs.	61-326	42"	41-9	37 To 42 Lbs.	61-419
16"	15-6	17 To 22 Lbs.	61-156	25"	24-5	24 To 30 Lbs.	61-245	33"	32-9	34 To 38 Lbs.	61-329	43"	42-1	9 To 14 Lbs.	61-421
16"	15-9	22 To 26 Lbs.	61-159	25"	24-9	30 To 34 Lbs.	61-249	34"	33-1	8 To 13 Lbs.	61-331	43"	42-2	14 To 20 Lbs.	61-422
17"	16-1	5 To 8 Lbs.	61-161	26"	25-1	4 To 9 Lbs.	61-251	34"	33-2	13 To 18 Lbs.	61-332	43"	42-3	20 To 25 Lbs.	61-423
17"	16-2	8 To 11 Lbs.	61-162	26"	25-2	9 To 15 Lbs.	61-252	34"	33-3	18 To 24 Lbs.	61-333	43"	42-4	25 To 31 Lbs.	61-424
17"	16-3	11 To 14 Lbs.	61-163	26"	25-3	15 To 20 Lbs.	61-253	34"	33-4	24 To 29 Lbs.	61-334	43"	42-5	31 To 36 Lbs.	61-425
17"	16-4	14 To 19 Lbs.	61-164	26"	25-4	20 To 25 Lbs.	61-254	34"	33-5	29 To 32 Lbs.	61-335	43"	42-9	36 To 42 Lbs.	61-429
17"	16-5	19 To 23 Lbs.	61-165	26"	25-5	25 To 31 Lbs.	61-255	34"	33-6	32 To 35 Lbs.	61-336	44"	43-1	9 To 14 Lbs.	61-431
17"	16-9	23 To 26 Lbs.	61-169	26"	25-9	31 To 34 Lbs.	61-259	34"	33-9	35 To 38 Lbs.	61-339	44"	43-2	14 To 19 Lbs.	61-432
18"	17-1	5 To 8 Lbs.	61-171	27"	26-1	5 To 9 Lbs.	61-261	35"	34-1	8 To 13 Lbs.	61-341	44"	43-3	19 To 24 Lbs.	61-433
18"	17-2	8 To 11 Lbs.	61-172	27"	26-2	9 To 13 Lbs.	61-262	35"	34-2	13 To 18 Lbs.	61-342	44"	43-4	24 To 30 Lbs.	61-434
18"	17-3	11 To 14 Lbs.	61-173	27"	26-3	13 To 19 Lbs.	61-263	35"	34-3	18 To 24 Lbs.	61-343	44"	43-5	30 To 36 Lbs.	61-435
18"	17-4	14 To 17 Lbs.	61-174	27"	26-4	19 To 26 Lbs.	61-264	35"	34-4	24 To 31 Lbs.	61-344	44"	43-9	36 To 42 Lbs.	61-439
18"	17-5	17 To 20 Lbs.	61-175	27"	26-5	26 To 30 Lbs.	61-265	35"	34-5	31 To 34 Lbs.	61-345	45"	44-1	9 To 14 Lbs.	61-441
18"	17-9	20 To 26 Lbs.	61-179	27"	26-6	30 To 33 Lbs.	61-266	35"	34-9	34 To 38 Lbs.	61-349	45"	44-2	14 To 20 Lbs.	61-442
19"	18-1	5 To 8 Lbs.	61-181	27"	26-9	33 To 34 Lbs.	61-269	36"	35-1	8 To 13 Lbs.	61-351	45"	44-3	20 To 24 Lbs.	61-443
19"	18-2	8 To 11 Lbs.	61-182	28"	27-1	5 To 9 Lbs.	61-271	36"	35-2	13 To 18 Lbs.	61-352	45"	44-4	24 To 31 Lbs.	61-444
19"	18-3	11 To 14 Lbs.	61-183	28"	27-2	9 To 13 Lbs.	61-272	36"	35-3	18 To 23 Lbs.	61-353	45"	44-5	31 To 36 Lbs.	61-445
19"	18-4	14 To 17 Lbs.	61-184	28"	27-3	13 To 20 Lbs.	61-273	36"	35-4	23 To 30 Lbs.	61-354	45"	44-9	36 To 42 Lbs.	61-449

Continued on next page


## 61 SERIES CHANNEL BALANCE WITH HEMMED EDGE

Continued from previous page.


Length of Metal Channel	Number Stamped on Balance	Sash Weight	Our Part Number	Length of Metal Channel	Number Stamped on Balance	Sash Weight	Our Part Number	Length of Metal Channel	Number Stamped on Balance	Sash Weight	Our Part Number	Length of Metal Channel	Number Stamped on Balance	Sash Weight	Our Part Number
46"	45-1	9 To 14 Lbs.	61-451	48"	47-4	24 To 30 Lbs.	61-474	51"	50-1	9 To 15 Lbs.	61-5010	53"	52-4	24 To 32 Lbs.	61-5240
46"	45-2	14 To 19 Lbs.	61-452	48"	47-5	30 To 37 Lbs.	61-475	51"	50-2	15 To 19 Lbs.	61-5020	53"	52-5	32 To 37 Lbs.	61-5250
46"	45-3	19 To 24 Lbs.	61-453	48"	47-9	37 To 44 Lbs.	61-479	51"	50-3	19 To 25 Lbs.	61-5030	53"	52-9	37 To 44 Lbs.	61-5290
46"	45-4	24 To 31 Lbs.	61-454	49"	48-1	9 To 14 Lbs.	61-481	51"	50-4	25 To 32 Lbs.	61-5040	54"	53-1	9 To 14 Lbs.	61-5310
46"	45-5	31 To 37 Lbs.	61-455	49"	48-2	14 To 19 Lbs.	61-482	51"	50-5	32 To 37 Lbs.	61-5050	54"	53-2	14 To 19 Lbs.	61-5320
46"	45-9	37 To 42 Lbs.	61-459	49"	48-3	19 To 24 Lbs.	61-483	51"	50-9	37 To 44 Lbs.	61-5090	54"	53-3	19 To 25 Lbs.	61-5330
47"	46-1	9 To 14 Lbs.	61-461	49"	48-4	24 To 32 Lbs.	61-484	52"	51-1	9 To 14 Lbs.	61-5110	54"	53-4	25 To 34 Lbs.	61-5340
47"	46-2	14 To 19 Lbs.	61-462	49"	48-5	32 To 37 Lbs.	61-485	52"	51-2	14 To 19 Lbs.	61-5120	54"	53-5	34 To 39 Lbs.	61-5350
47"	46-3	19 To 25 Lbs.	61-463	49"	48-9	37 To 44 Lbs.	61-489	52"	51-3	19 To 24 Lbs.	61-5130	54"	53-9	39 To 44 Lbs.	61-5390
47"	46-4	25 To 31 Lbs.	61-464	50"	49-1	9 To 14 Lbs.	61-491	52"	51-4	24 To 32 Lbs.	61-5140	55"	54-3	19 To 24 Lbs.	61-5430
47"	46-5	31 To 37 Lbs.	61-465	50"	49-2	14 To 19 Lbs.	61-492	52"	51-5	32 To 37 Lbs.	61-5150	55"	54-5	32 To 37 Lbs.	61-5450
47"	46-9	37 To 44 Lbs.	61-469	50"	49-3	19 To 24 Lbs.	61-493	52"	51-9	37 To 44 Lbs.	61-5190	55"	54-9	37 To 44 Lbs.	61-5490
48"	47-1	9 To 14 Lbs.	61-471	50"	49-4	24 To 32 Lbs.	61-494	53"	52-1	9 To 14 Lbs.	61-5210	57"	56-5	32 To 37 Lbs.	61-5650
48"	47-2	14 To 19 Lbs.	61-472	50"	49-5	32 To 37 Lbs.	61-495	53"	52-2	14 To 19 Lbs.	61-5220	59"	58-3	19 To 24 Lbs.	61-5830
48"	47-3	19 To 24 Lbs.	61-473	50"	49-9	37 To 44 Lbs.	61-499	53"	52-3	19 To 24 Lbs.	61-5230				

### TOP BRACKETS


60-Series top brackets are all interchangeable with 61-Series balances. Use 61-Series bottom brackets listed below.




Part #	Color
60-507	White
60-507B	Black




**60-508**



**61-503**  
Use 60-595




**60-595**




**61-516**  
Nylon  
**PGT/ATRIUM**


### BOTTOM BRACKETS




**61-508**




**61-512**




**61-519**  
Nylon  
**PGT/ATRIUM**




**61-510**




**61-507**




**61-515**  
No Longer Available  
Use: 61-501




**61-501**



**61-509**



**61-513**




**60-708**  
Take out clip  
**SILVERLINE**


# SASH SUPPORT SYSTEMS

## 60 SERIES BALANCE ACCESSORIES


### PLASTIC TOP SASH GUIDES - In Order by Length




**60-629**




**900-14149BA**  
LH & RH Set, Black  
**BINNINGS**




**60-672**  
White  
**CAPITOL**




**60-643**




**900-18946**  
Black




**60-733**  
Black  
**GALLATIN/GAPCO**



**900-6799A**  
LH & RH Set, White  
**GAPCO**




**60-727**  
Black  
**ALENCO**




Part #	Hand
60-605	Shown
60-606	Opposite


Weatherstripping not included.  
**IDA**




**60-645**




**60-676BA**  
LH & RH Set, Black



**900-15838X**  
Black Plastic  
**JORDAN**




**60-658**  
**JORDAN**




Part #	Color
900-20576	White
900-20576B	Black


**LAWSON**




**60-651A**  
LH & RH Set  
**SUGAR CREEK**




**900-9963**  
LH & RH Set




**60-732A**  
Nylon. Sold In Sets Only  
**NU-AIRE**




Part #	Color
60-602	White
60-602B	Black




**900-13531A**  
LH & RH Set, Black  
**MANNIX**



**60-661**  
Black




**900-10066**  
**KINCO**




Part #	Color
60-935	White
60-935B	Black


**LAWSON**



**900-10331**  
Black  
**MILLER**



**60-958**  
Black Nylon




Part #	Color
60-6004	White
60-6004BG	Beige


**VBP / GENERAL ALUMINUM / BETTER BILT**

## 60 SERIES BALANCE ACCESSORIES


### PLASTIC TOP SASH GUIDES - In Order by Length




**60-624**  
White  
**GRAHAM**




**60-653**  
**CROSSLY**




**900-13061**  
Black




**60-993**  
Black  
**METAL INDUSTRIES**




**900-15768**  
Black




**60-963**  
Natural




Old Style  
No Longer Available  
Use 60-654




New Style  
**60-654**  
Old Style No Longer Available  
**SEASONALL**




**60-641**  
**BINNINGS**



**900-1852**  
3/16" dia. hole. Hole center up  
17/32" from bottom.




**60-612**  
Hole center  
up 9/16" from bottom.




Part #	Color
60-613	Natural
60-613B	Black


Hole center up 9/16" from bottom.  
**CROSSLY**




**900-19798**  
White




**60-652A**  
LH & RH Set  
**ALSCO/ANACONDA**




**60-618**  
White  
**SEASONALL**




**900-10122**  
Natural  
**KINCO**



**900-10122-OS**  
Nylon  
**KINCO**




**60-646**  
Black  
**BINNINGS**




Part #	Color
900-16080	Black
900-16080W	White

**HARCAR**




**60-971**  
White Nylon




Part #	Color
60-633	Natural
60-633B	Black


**PGT 4000 SERIES**




**60-604**  
**HOWMET**



**60-675BL**  
Black  
**ROLLYSON**



**60-666**  
LH & RH Set. Black  
**MANNIX**




**900-1855**  
White Nylon

# SASH SUPPORT SYSTEMS


## 60 SERIES BALANCE ACCESSORIES

### PLASTIC TOP SASH GUIDES - In Order by Length




Part #	Hand
60-964LH	Shown
60-964RH	Opposite


White




**60-962**  
White  
**LAWSON**




**900-20577**  
Nylon  
**SEASONSHIELD**



**900-11075**  
White  
**BELLVIEW**




**60-648**  
Black  
**KAWNEER/WIDING**




Part #	Color
60-657WH	White
60-657BL	Black
60-657BG	Beige
60-657BR	Brown


**FIBERLUX**




**60-622**  
**REYNOLDS**




**60-647**  
White  
**MILCO**



**60-659**  
White  
**KING**




**60-642**




Part #	Color
900-18140W	White
900-18140B	Black


**NORANDEX**




**900-1884A**  
LH & RH Set, Black  
**MANNIX**




**60-644**  
Black  
**STORM WEATHER**



**60-656**  
Black  
**HOWARD**




**60-617**  
White




**900-14664**

**SEASONALL**




**60-649A**

No Longer Available  
Use 60-649MODA




**60-649MODA**

LH & RH Set, Black  
**THERMOTWIN**




**900-16514A**

LH & RH Set w/Weatherstrip, Black  
**ALENCO**




**900-15743BA**

LH & RH Set, Black




**60-660**

Black




**900-15755BA**

LH & RH Set, Black  
**STORM WEATHER**




**900-11106**

Black



**900-16814**

Black




**60-6006**


White Plastic

## 60 SERIES BALANCE ACCESSORIES


### PLASTIC TOP SASH GUIDES - In Order by Length




**60-582**  
White  
**SEASONALL**




**60-941**  
Black  
**TRACO**




**900-15743BA**  
LH & RH Set  
Black




**900-15245**  
White (Original Color Gray)  
**AMACOR**




**900-12814**  
Black




**60-650**  
Black



**900-15441B**  
Black




**60-610**  
Black  
**ACORN**




Part #	Color
60-603	White
60-603B	Black


**CLEARVIEW**




**900-14356**  
White




**900-1882B**  
Black




**60-623**  
Natural



**60-684A**  
RH & LH Set. RH Shown  
White




**60-668**  
**ALPINE**




**60-640**  
Nylon  
**GENERAL**

### FACE GUIDE

### METAL SASH GUIDES




**2732P**  
**NU-AIR**




Part #	Color
900-19990	White
900-19990B	Black

Nylon Face Guide




**900-14964-A**




Part #	Color
900-9500AW	White
900-9500AB	Bronze
900-9500AL	Aluminum


Aluminum  
**SECURITY**




**60-609**  
**HOWARD**




**60-665**  
**CROSSLY**




**60-611**



**60-663**  
**CAPITOL**



**900-10396**




**900-9250**  
Bronze  
**CAPITOL**


# SASH SUPPORT SYSTEMS

## 60 SERIES BALANCE ACCESSORIES


### METAL SASH GUIDES




**60-608**  
CAPITOL




**60-607**  
CAPITOL



**60-705**  
White Rubber  
CAPITOL




**60-6009WX**  
White  
PGT




**900-18768**  
White  
SEASONALL


### SASH STOPS




**60-721**  
Plastic



**900-16788**  
YALE OGRON




**900-9400**  
Black  
ACORN




**900-9566**  
Black  
ACORN

### TAKE OUT CLIPS




Part #	Description
60-700	A=1/4"
60-708	A=5/16"


### 60 SERIES MISCELLANEOUS




**60-662**  
Plastic  
PAN AM



**60-701**  
Frame Guide  
IDA




**900-14926WA**  
LH & RH Anti-Draft Plug Set. White  
SEASONALL




Part #	Color
60-673	White
60-673BL	Black


Vent Clip Sash Guides - Pair  
ROLLYSON



**60-515**  
Extender




**60-674BA**  
Black Vent Clips - Pair  
ROLLYSON




Part #	Color
60-664	White
60-664B	Black


Nylon Vent Bracket.  
YALE OGRON



**60-906**  
3 Piece Balance Guide Assembly  
LOUISIANA PACIFIC



**60-614**  
Square Guide  
WT INDUSTRIES




**900-13360**  
Black Face Guide  
SWS

### WINDOW BALANCE RIVET TOOLS


For Channel and Tube Balances "A Must for Repair and Assembly of Balance Brackets" (Tube & Channel)  
Professional Results! Say Good-bye to Hammered Fingers! FAST - EFFICIENT - COST EFFECTIVE

#### RIVET CRIMPING PLIERS




**59-81**  
Rivet Installation Tool

**59-1**  
Adjusts to accommodate both tube and channel balances.



#### RIVET REMOVAL PLIERS



**59-2**



**59-3**

For tube balances, simply line up pin with peened rivet and squeeze. Rivet will be pushed out. For channel balances, grind or file rivet flush and then squeeze to remove rivet.

Replacement pin for rivet removal pliers