
70 SERIES BALANCES

5/8" TUBE BALANCE

Tube diameter 9/16" but considered 5/8" in the trade.



Ordering Information

- 1) Measure metal tube length. (Do not include nylon bearing.)
- Measure spiral rod length. (Make sure rod is flush with screw hole end of tube before measuring.)
- 3) Identify the color of the bearing (e.g., white, red, blue or black) and select our corresponding part number from the chart below.
- To identify any attaching brackets or accessories used with your balance, refer to pages 58-60.

Note: Brackets and accessories must be ordered separately.

General Information

- 1) Maximum tube balance length available is 60".
- 2) White, red and blue bearings are for sashes weighing up to 30 lbs; the black bearing with nyclad tip is for sashes weighing up to 40 lbs. Please consult your sales representative for special ordering information.
- 3) The appropriate tensioning tools are 70-515 and 70-516 as shown on pages 60 and 96.

Standard Rod


		Stariuaru Kot	1	
Tube Length	Rod Length	Red Bearing	Blue Bearing	Black Bearing
9"	9-3/4"	70-N9SR		
10"	10-3/4"	70-N10SR		
11"	11-3/4"	70-N11SR		
12"	12-3/4	70-N12SR	70-N12SB	
13"	13-3/4"	70-N13SR	70-N13SB	
14"	14-3/4"	70-N14SR	70-N14SB	
15"	15-3/4"	70-N15SR	70-N15SB	
16"	16-3/4"	70-N16SR		
17"	17-3/4"	70-N17SR	70-N17SB	70-L17S
18"	18-3/4"	70-N18SR	70-N18SB	70-L18S
19"	19-3/4"	70-N19SR	70-N19SB	70-L19S
20"	20-3/4"	70-N20SR	70-N20SB	70-L20S
21"	21-3/4"	70-N21SR	70-N21SB	70-L21S
22"	22-3/4"	70-N22SR	70-N22SB	70-L22S
23"	23-3/4"	70-N23SR	70-N23SB	70-L23S
24"	24-3/4"	70-N24SR	70-N24SB	70-L24S
25"	25-3/4"	70-N25SR	70-N25SB	70-L25S
26"	26-3/4"	70-N26SR	70-N26SB	70-L26S
27"	27-3/4"	70-N27SR	70-N27SB	70-L27S
28"	28-3/4"	70-N28SR	70-N28SB	70-L28S
29"	29-3/4"	70-N29SR	70-N29SB	70-L29S
30"	30-3/4"	70-N30SR	70-N30SB	70-L30S
31"	31-3/4"	70-N31SR	70-N31SB	70-L31S
32"	32-3/4"	70-N32SR	70-N32SB	70-L32S
33"	33-3/4"	70-N33SR		70-L33S
34"	34-3/4"	70-N34SR		70-L34S
35"	35-3/4"	70-N35SR		70-L35S
36"	36-3/4"	70-N36SR		70-L36S
37"	37-3/4"	70-N37SR		70-L37S
38"	38-3/4"	70-N38SR		70-L38S
39"	39-3/4"	70-N39SR		70-L39S
40"	40-3/4"	70-N40SR		70-L40S
41"	41-3/4"	70-N41SR		70-L41S
42"	42-3/4"	70-N42SR		70-L42S
43"	43-3/4"	70-N43SR		70-L43S
44"	44-3/4"	70-N44SR		70-L44S
45"	45-3/4"	70-N45SR		70-L45S
46"	46-3/4"	70-N46SR		70-L46S
47"	47-3/4"	70-N47SR		70-L47S
48"	48-3/4"	70-N48SR		70-L48S
49"	49-3/4"	70-N49SR		70-L49S
50"	50-3/4"	70-N50SR		70-L50S

Extended Rod


Tube Length	Rod Length	Red Bearing	Blue Bearing
9"	10-3/4"	70-N9RR	
10"	11-3/4"	70-N10RR	
11"	12-3/4"	70-N11RR	
12"	13-3/4"	70-N12RR	70-N12RB
13"	14-3/4"	70-N13RR	70-N13RB
14"	15-3/4"	70-N14RR	70-N14RB
15"	16-3/4"	70-N15RR	70-N15RB
16"	17-3/4"	70-N16RR	70-N16RB
17"	18-3/4"	70-N17RR	70-N17RB
18"	19-3/4"	70-N18RR	70-N18RB
19"	20-3/4"	70-N19RR	70-N19RB
20"	21-3/4"	70-N20RR	70-N20RB
21"	22-3/4"	70-N21RR	70-N21RB
22"	23-3/4"	70-N22RR	70-N22RB
23"	24-3/4"	70-N23RR	70-N23RB
24"	25-3/4"	70-N24RR	70-N24RB
25"	26-3/4"	70-N25RR	70-N25RB
26"	27-3/4"	70-N26RR	70-N26RB
27"	28-3/4"	70-N27RR	70-N27RB
28"	29-3/4"	70-N28RR	70-N28RB
29"	30-3/4"	70-N29RR	70-N29RB
30"	31-3/4"	70-N30RR	70-N30RB
31"	32-3/4"	70-N31RR	70-N31RB
32"	33-3/4"	70-N32RR	70-N32RB
33"	34-3/4"	70-N33RR	
34"	35-3/4"	70-N34RR	
35"	36-3/4"	70-N35RR	
36"	37-3/4"	70-N36RR	
37"	38-3/4"	70-N37RR	
38"	39-3/4"	70-N38RR	
39"	40-3/4"	70-N39RR	
40"	41-3/4"	70-N40RR	
41"	42-3/4"	70-N41RR	
42"	43-3/4"	70-N42RR	
43"	44-3/4"	70-N43RR	
44"	45-3/4"	70-N44RR	
45"	46-3/4"	70-N45RR	
46"	47-3/4"	70-N46RR	
47"	48-3/4"	70-N47RR	
48"	49-3/4"	70-N48RR	
49"	50-3/4"	70-N49RR	
50"	51-3/4"	70-N50RR	




METAL BRACKETS





Part #	Description	
70-503	Metal	
70-503SS	Stainless Steel	




Part #	Description	
70-502N	Nyclad Coated	
70-502	Not Coated	













← 1-11/32" → 70-534N Nyclad Coated








70-523C




70-521 Metal ALWINSEAL




Part #	Description	
70-505	Metal	
70-505SS	Stainless Steel	
Side Mount		


70-506 Metal Side Mount




BALANCE SHOES

Part #	Hand		
70-514RH	Shown		
STANLEY			

















Use with 70-629 Retainer CROSSLY

70 SERIES BALANCE ACCESSORIES BALANCE SHOES BALANCE BRACKET TOP SASH CAMS 29/32 Part # Hand Hand Part # Shown 70-617 900-10697A Shown Opposite 70-615 70-618 70-511A 70-602 Balance Bracket Assembly w/ 70-616 Opposite Top Sash Cam Assembly Sold in Sets Only Cam and Pawl New Style, Black Black, Plastic **CUPPLES** sws CALCO ALUM. CO. CALCO ALUM. CO. BALANCE CAPS GUIDES 13/16" 70-627 70-606A 70-517 70-528 70-624 Two Piece Sold in Sets Only. Nylon **GEORGIA PALM BEACH** Nylon CROSSLY Die Cast <u>70-612</u> Sold in Sets Only. RH Shown. 900-5095 70-639 70-603 70-620 Nylon. Use with Balance Shoes Nylon Nylon White Plastic 70-514LH & RH Nylon **GEORGIA PALM BEACH STANLEY** 19/32" 21/32" 7/16" _ 11/16" 23/32" <u>70-601</u> 70-605 70-625 70-635 70-622 Off White Plastic Gray Plastic Nylon Nylon Nylon SCREW BUSHING **RETAINER** TILT PIVOT l<- 1-5/32"-19/32" 11/32" 1/4" 70-519 <u>70-655B</u> <u>70-623</u> 62-613 70-629 Sash Guide Set. Black Nylon. Use with 72-500 Carrier Used with Screw 20-048 Black Plastic Nylon **PGT** and 72-603 Sash Clip **CALCO ALUM. CO.** CALCO ALUM. CO.

